

Product technical sheet

ROBINIA RB2859





+1

27,9 m²



Material specification

- \bullet Construction made of Robinia very durable acacia wood with a diameter of ~ 14 cm without sharp edges, resistant to weather conditions,
- Screws covered with plastic caps and/or stainless steel screws,



Facilitating disability



easy access



Intellectual development




le sensoriel




thinking





\$\frac{1}{2}\$



Product technical sheet

ROBINIA RB2859

Product data

| Length | 355 cm | |
|-----------------------------|-------------|--|
| Width | 360 cm | |
| Total height | 110 cm | |
| Age group | +1 years | |
| Safety zone | 27,9 m2 | |
| Free fall height | < 60 cm | |
| In accordance with norm EN | 1176-1:2017 | |
| Weight of the heaviest part | 18 kg | |
| Availability of spare parts | YES | |

Data is subject to change without prior notice.

Additional information

- equipment adapted for the disabled; intended for public playgrounds;
- anchoring on flat surface, 80/70 cm deep;
- render is for reference only, the actual appearance of the equipment and its color may vary;

Guarantee



01/09/2022

30 year guarantee -Structural strength of steel and stainless steel components



15 year guarantee -Structural failure of steel and stainless steel, for dynamic equipment



10 year guarantee - Structural failure of high density polyethylene and high pressure laminates components



5 year guarantee - Corrosion of stainless steel and hot dip galvanized and powder coated components; against bark beetles and rot in case of wooden structural elements

Detailed information in the guarantee card



Surfaces according to EN 1176-1:2017

| | Description (mm) | Layer thickness (cm) | Maximum fall heights (cm) |
|---|---------------------------------|-------------------------|------------------------------|
| Turf/ top layer of soil (A,B,C) | - | - | ≤100 |
| bark (A.C.) | Particle size from 20 | 30 | ≤200 |
| bark (A,C) | to 80 | 40 | ≤300 |
| woodchips (A,C) Particle size from 5 to 30 | Particle size from 5 | 30 | ≤200 |
| | to 30 | 40 | ≤300 |
| sand or gravel (A,C) | Particle size from 0,25 to 8 | 30 | ≤200 |
| | | 40 | ≤300 |
| synthetic attested (A,B,C) | Tested according to EN 1177 | | < 60 |

Product technical sheet

ROBINIA RB2859

Amount of safe surface corresponding with free fall height:

HIC <60 27,9 m²

Data is subject to change without prior notice.

