

Product technical sheet

SWING ST0530








3 - 12 years

2 kids

20,8 m²







Win play

Material specification

- Hot-dip galvanized and powder coated steel construction,
- Platforms made of durable anti-slip and waterproof HPL plate,
- Stainless steel handrails,
- Screws covered with plastic caps and/or stainless steel screws,



Facilitating disability



easy access



handrails



integration



Physical development




community





rocking

Email: info@playground.com.pl









Product technical sheet

SWING ST0530

Product data

Length	264 cm	
Width	102 cm	
Total height	106 cm	
Age group	3 - 12 years	
Number of users	2 kids	
Safety zone	20,8 m2	
Free fall height	99 cm	
In accordance with norm EN	1176-1:2017	
Weight of the heaviest part	27 kg	
Dimensions of the largest part	182x86x118 cm	
Availability of spare parts	YES	
Color options		

Data is subject to change without prior notice.

Additional information

- equipment adapted for the disabled; intended for public playgrounds;
- equipment has a certificate issued by an accredited entity or a declaration of conformity;
- no sharp edges or chinks that would pose a danger of jimming the head, fingers or any other body parts;
- render is for reference only, the actual appearance of the equipment and its color may vary;

Guarantee



30 year guarantee -Structural strength of steel and stainless steel components



15 year guarantee -Structural failure of steel and stainless steel, for dynamic equipment



10 year guarantee - Structural failure of high density polyethylene and high pressure laminates components



5 year guarantee - Corrosion of stainless steel and hot dip galvanized and powder coated components; against bark beetles and rot in case of wooden structural elements

Detailed information in the guarantee card



Surfaces according to EN 1176-1:2017

	Description (mm)	Layer thickness (cm)	Maximum fall heights (cm)
Turf/ top layer of soil (A,B,C)	-	-	≤100
bark (A,C) Particle size from 20 to 80	30	≤200	
	to 80	40	≤300
woodchips (A,C)	Particle size from 5 to 30	30	≤200
		40	≤300
sand or gravel (A,C)	Particle size from 0,25 to 8	30	≤200
		40	≤300
synthetic attested (A,B,C)	Tested according to EN 1177		99

Product technical sheet

SWING ST0530

Amount of safe surface corresponding with free fall height:

HIC 99 20,8 m²

Data is subject to change without prior notice.

